

# SUBJECT INDEX—Volume 13 (1988)

In Volume 13, Number 1 (Jan.-March) contains pages 1-46; Number 2 (April-June), 47-94; Number 3 (July-Sept.), 95-130; and Number 4 (Oct.-Dec.), 131-178.

- American Society of Regional Anesthesia, Annual Meeting (March 17-20, 1988), abstracts from, January-March Supplement
- Anesthetics, manufacture and storage of, 1
- Axillary block, continuous, for postoperative pain, 77
- Blood patch, epidural, epidural anesthesia 2 hours after, 13
- Brachial plexus nerve block, phenol, for upper extremity cancer pain, 58
- Bupivacaine
- for cesarean section, effect of epinephrine on epidural spread of, 91
  - epidural, continuous postoperative tachyphylaxis during, 117
  - volume and concentration of, and regression of analgesia, 122
  - intravenous, during nitrous oxide-halothane anesthesia, hemodynamic effects of, 83
  - for obstetric anesthesia
    - differential cold and sympathetic blockade with, 162
    - plasma concentrations of, and maternal position, 157  - for spinal anesthesia, 165
  - with and without epinephrine, 135
  - spread of, with Trendelenberg position, 34
  - spinal distribution of, temperature effects on, 25
- Bupivacaine-fentanyl, epidural, vs. lidocaine, for lithotripsy, 72
- Cancer pain, in upper extremity, phenol brachial plexus block for, 58
- Cesarean section
- epidural anesthesia for, effect of epinephrine on bupivacaine spread in, 91
  - fentanyl analgesia after, effect of local anesthetics on, 141
- 2-Chloroprocaine, new vs. old formulations of, maternal and neonatal effects of, 101
- Cold and sympathetic blockade, during bupivacaine epidural obstetric anesthesia, 162
- Continuous axillary block, for postoperative pain, 77
- Density, anesthetic, and temperature, in spinal anesthesia, 25
- Dihydroergotamine, hemodynamic effects of, in combined epidural and general anesthesia, 15
- Dural puncture
- during continuous epidural analgesia detection of by thiopental or test strips, 169
  - headache after, epidural blood patch for, epidural anesthesia 2 hours after, 13
- Epidural analgesia
- bupivacaine, regression of, effects of drug volume and concentration on, 122
  - dural puncture during, detection of by thiopental or test strips, 169
  - post-cesarean fentanyl, effect of local anesthetic on, 141
- Epidural anesthesia
- bupivacaine, continuous postoperative, tachyphylaxis during, 117
  - with general anesthesia, dihydroergotamine in, hemodynamic effects of, 15
  - in HELLP syndrome, in preeclampsia, 20
  - high thoracic, with sufentanil, for post-thoracotomy pain, 62
  - for lithotripsy
    - fentanyl for, 40
    - lidocaine vs. bupivacaine-fentanyl for, 72
    - successive failures of, 131  - obstetric
    - bupivacaine for, differential cold and sympathetic blockade with, 162
    - 2-chloroprocaine for, new vs. old formulations of, 101
    - effect of epinephrine on bupivacaine spread in, 91
    - maternal position in, and plasma bupivacaine concentrations, 157
    - two hours after epidural blood patch, 13
- Epidural anesthetics, spread of, factors in (editorial), 47
- Epidural blood patch, epidural anesthesia 2 hours after, 13
- Epidural space, anesthetic spread in, 47, 49
- Epinephrine
- in bupivacaine spinal anesthesia, 135
  - effect of on bupivacaine spread, in cesarean section, 91
- Epinephrine-containing local anesthetics, in pregnancy, maternal hemodynamic responses to, 101, 107
- Extracorporeal shock wave lithotripsy
- epidural anesthesia for, successive failures of, 131
  - epidural fentanyl for, 40
  - epidural lidocaine vs. bupivacaine-fentanyl for, 72
- Fentanyl. *See* Bupivacaine-fentanyl
- epidural
- for extracorporeal shock wave lithotripsy, 40
  - for post-cesarean analgesia, effect of local anesthetic on, 141
- Fluid loading, microwave oven fluid warming for, 112
- General anesthesia
- tourniquet-induced hypertension in, and lumbar sympathetic blockade, 152
  - vs. epidural anesthesia, in HELLP syndrome, in preeclampsia, 20
- Halothane-nitrous oxide anesthesia, intravenous lidocaine and bupivacaine during, hemodynamic effects of, 83
- Headache, postdural puncture, epidural blood patch for, epidural anesthesia 2 hours after, 13
- Hemolysis, elevated liver enzymes, and low platelet count (HELLP syndrome), in preeclampsia, general vs. epidural anesthesia in, 20
- Hypertension
- pregnancy-induced. *See* Preeclampsia

# SUBJECT INDEX—Volume 13 (1988)

In Volume 13, Number 1 (Jan.-March) contains pages 1-46; Number 2 (April-June), 47-94; Number 3 (July-Sept.), 95-130; and Number 4 (Oct.-Dec.), 131-178.

- American Society of Regional Anesthesia, Annual Meeting (March 17-20, 1988), abstracts from, January-March Supplement
- Anesthetics, manufacture and storage of, 1
- Axillary block, continuous, for postoperative pain, 77
- Blood patch, epidural, epidural anesthesia 2 hours after, 13
- Brachial plexus nerve block, phenol, for upper extremity cancer pain, 58
- Bupivacaine
- for cesarean section, effect of epinephrine on epidural spread of, 91
  - epidural, continuous postoperative tachyphylaxis during, 117
  - volume and concentration of, and regression of analgesia, 122
  - intravenous, during nitrous oxide-halothane anesthesia, hemodynamic effects of, 83
  - for obstetric anesthesia
    - differential cold and sympathetic blockade with, 162
    - plasma concentrations of, and maternal position, 157  - for spinal anesthesia, 165
  - with and without epinephrine, 135
  - spread of, with Trendelenberg position, 34
  - spinal distribution of, temperature effects on, 25
- Bupivacaine-fentanyl, epidural, vs. lidocaine, for lithotripsy, 72
- Cancer pain, in upper extremity, phenol brachial plexus block for, 58
- Cesarean section
- epidural anesthesia for, effect of epinephrine on bupivacaine spread in, 91
  - fentanyl analgesia after, effect of local anesthetics on, 141
- 2-Chloroprocaine, new vs. old formulations of, maternal and neonatal effects of, 101
- Cold and sympathetic blockade, during bupivacaine epidural obstetric anesthesia, 162
- Continuous axillary block, for postoperative pain, 77
- Density, anesthetic, and temperature, in spinal anesthesia, 25
- Dihydroergotamine, hemodynamic effects of, in combined epidural and general anesthesia, 15
- Dural puncture
- during continuous epidural analgesia detection of by thiopental or test strips, 169
  - headache after, epidural blood patch for, epidural anesthesia 2 hours after, 13
- Epidural analgesia
- bupivacaine, regression of, effects of drug volume and concentration on, 122
  - dural puncture during, detection of by thiopental or test strips, 169
  - post-cesarean fentanyl, effect of local anesthetic on, 141
- Epidural anesthesia
- bupivacaine, continuous postoperative, tachyphylaxis during, 117
  - with general anesthesia, dihydroergotamine in, hemodynamic effects of, 15
  - in HELLP syndrome, in preeclampsia, 20
  - high thoracic, with sufentanil, for post-thoracotomy pain, 62
  - for lithotripsy
    - fentanyl for, 40
    - lidocaine vs. bupivacaine-fentanyl for, 72
    - successive failures of, 131  - obstetric
    - bupivacaine for, differential cold and sympathetic blockade with, 162
    - 2-chloroprocaine for, new vs. old formulations of, 101
    - effect of epinephrine on bupivacaine spread in, 91
    - maternal position in, and plasma bupivacaine concentrations, 157
    - two hours after epidural blood patch, 13
- Epidural anesthetics, spread of, factors in (editorial), 47
- Epidural blood patch, epidural anesthesia 2 hours after, 13
- Epidural space, anesthetic spread in, 47, 49
- Epinephrine
- in bupivacaine spinal anesthesia, 135
  - effect of on bupivacaine spread, in cesarean section, 91
- Epinephrine-containing local anesthetics, in pregnancy, maternal hemodynamic responses to, 101, 107
- Extracorporeal shock wave lithotripsy
- epidural anesthesia for, successive failures of, 131
  - epidural fentanyl for, 40
  - epidural lidocaine vs. bupivacaine-fentanyl for, 72
- Fentanyl. *See* Bupivacaine-fentanyl
- Epidural
- for extracorporeal shock wave lithotripsy, 40
  - for post-cesarean analgesia, effect of local anesthetic on, 141
- Fluid loading, microwave oven fluid warming for, 112
- General anesthesia
- tourniquet-induced hypertension in, and lumbar sympathetic blockade, 152
  - vs. epidural anesthesia, in HELLP syndrome, in preeclampsia, 20
- Halothane-nitrous oxide anesthesia, intravenous lidocaine and bupivacaine during, hemodynamic effects of, 83
- Headache, postdural puncture, epidural blood patch for, epidural anesthesia 2 hours after, 13
- Hemolysis, elevated liver enzymes, and low platelet count (HELLP syndrome), in preeclampsia, general vs. epidural anesthesia in, 20
- Hypertension
- pregnancy-induced. *See* Preeclampsia

- tourniquet-induced, during general anesthesia, and lumbar sympathetic blockade, 152
- Intravenous fluids, warming of, in microwave oven, 112
- Isobaric spinal anesthesia, and temperature, 25
- Lidocaine  
 epidural, vs. bupivacaine-fentanyl, for lithotripsy, 72  
 intravenous, during nitrous oxide-halothane anesthesia, hemodynamic effects of, 83
- Lithotripsy  
 epidural anesthesia for, successive failures of, 131  
 epidural fentanyl for, 40  
 epidural lidocaine vs. bupivacaine-fentanyl for, 72
- Local anesthesia, intravenous, during nitrous oxide-halothane anesthesia, hemodynamic effects of, 83
- Local anesthetics  
 epidural spread of, 47, 49  
 manufacture and storage of, 1
- Lumbar sympathetic blockade, and tourniquet-induced hypertension, during general anesthesia, 152
- Manufacture, of local anesthetics, chronology of, 1
- Mass spectrometer, detection of disrupted oxygen administration by, 126
- Microwave ovens, for intravenous fluid warming, 112
- Morphine, intrathecal, effect of postoperative naloxone on, 146
- Music, during regional anesthesia, sedative effect of, 69
- Naloxone, postoperative, effect of on intrathecal morphine analgesia, 146
- Nitrous oxide-halothane anesthesia, intravenous lidocaine and bupivacaine during, hemodynamic effects of, 83
- Obstetric analgesia, post-cesarean, epidural fentanyl for, effect of local anesthetic on, 141
- Obstetric anesthesia  
 epidural  
 bupivacaine for, differential cold and sympathetic blockade with, 162  
 chloroprocaine for, new vs. old formulations of, 101  
 effect of epinephrine on bupivacaine spread in, 91  
 maternal position in, and plasma bupivacaine concentrations, 157
- Oxygen administration, monitoring of, 126
- Packaging, of local anesthetics, 1
- Pain  
 cancer, in upper extremity, phenol brachial plexus block for, 58  
 postoperative  
 after cesarean section epidural fentanyl for, effect of local anesthetic on, 141  
 continuous axillary block for, 77  
 continuous epidural bupivacaine for  
 tachyphylaxis during, 117  
 volume and concentration of, and regression of analgesia, 122  
 intrathecal morphine for, effect of naloxone on, 146  
 post-thoracotomy, high thoracic epidural with sufentanil for, 62
- tourniquet, during spinal anesthesia, with hyperbaric vs. isobaric tetracaine, 29
- Patient positioning, during epidural obstetric anesthesia, and plasma bupivacaine concentrations, 157
- pH urine test strips, for detection of dural puncture, 169
- Phenol brachial plexus nerve block, for upper extremity cancer pain, 58
- Postdural puncture headache, epidural blood patch for, epidural anesthesia 2 hours after, 13
- Postoperative pain. *See* Pain, postoperative
- Preeclampsia  
 epinephrine-containing local anesthetics in, maternal hemodynamic responses to, 107  
 hemolysis, elevated liver enzymes, and low platelet count (HELLP syndrome) in, general vs. epidural anesthesia in, 20
- Regional anesthesia  
 music during, sedative effect of, 69  
 oxygen administration during, monitoring of, 126
- Respiration, effect of naloxone on, after intrathecal morphine, 146
- 2nd International Symposium, Regional Anesthesia, Advances in Regional Anesthesia and Analgesia (May 28-30, 1988), abstracts from, April-June Supplement
- Sedatives, reduced need for, and music, 69
- Spinal anesthesia  
 anesthetic distribution in, temperature effects on, 25  
 bupivacaine, 165  
 with and without epinephrine, 135  
 with hyperbaric vs. isobaric tetracaine, tourniquet pain during, 29  
 Trendelenberg position in, and spread of hyperbaric bupivacaine and tetracaine, 34
- Storage, of local anesthetics, 1
- Sufentanil, high thoracic epidural with, for post-thoracotomy pain, 62
- Tachyphylaxis, with continuous postoperative epidural bupivacaine, 117
- Temperature, and anesthetic density, in spinal anesthesia, 25
- Test strips, for detection of dural puncture, 169
- Tetracaine  
 hyperbaric vs. isobaric, in spinal anesthesia, tourniquet pain during, 29  
 in spinal anesthesia, spread of, with Trendelenberg position, 34
- Thoracotomy, pain after, high thoracic epidural with sufentanil for, 62
- Tourniquet induced hypertension, during general anesthesia, and lumbar sympathetic blockade, 152
- Tourniquet pain, during spinal anesthesia, with hyperbaric vs. isobaric tetracaine, 29
- Trendelenberg position, in spinal anesthesia, and spread of hyperbaric bupivacaine and tetracaine, 34
- Upper extremity, cancer pain in, phenol brachial plexus block for, 58
- Urine test strips, for detection of dural puncture, 169

## AUTHOR INDEX—Volume 13

- Abboud, T. K., 101, 107  
 Ackerman, William E., 169  
 Alais, Michel, 135  
 Arthur, G. Richard, 25  
 Arweström, Eva, 165  
 Aurellano, Zenaida, 58  
  
 Beardsworth, David, 25  
 Bengtsson, M., 146  
 Bigler, Dennis, 117  
 Blomqvist, Hans, 165  
 Bonnet, F., 29  
 Bridenbaugh, Phillip O., 169  
 Brown, David L., 13  
 Buisson, V. Brun, 29  
  
 Cail, Wayne S., 131  
 Cartwright, Philip D., 1  
 Carvalho, José Carlos Almeida, 91  
 Chauhan, Dinesh, 20  
 Cremonesi, Eugesse, 91  
 Crul, J., 62  
  
 d'Athis, Françoise, 135  
 Datta, Sanjay, 25  
 Davis, H., 101, 107  
 de La Coussaye, Jean E., 135  
 Denson, Donald D., 169  
 Desverreaux, J. N., 141  
 Dick, Wolfgang, 34  
 Diemar, Vivi, 69  
 Dirkes, William, 117  
 Dror, A., 101, 107  
  
 Ejdrup, Helle, 117  
 Eledjam, Jean-Jacques, 135  
  
 Fujimori, Mitsugu, 83  
 Fyhr, Peter, 1  
  
 Gangolly, J., 101, 107  
 Gaumann, Dorothee M., 77  
 Gielen, M., 62  
 Gissen, David, 40, 72  
  
 Hanowell, Leland H., 126  
 Hardy, Paul A. J., 162  
  
 Hasenbos, M., 62  
 Hill, Russell F., 112  
 Hjortso, N.-C., 122  
  
 Janik, Ralph, 34  
 Johnson, A., 146  
 Juneja, Mustaque M., 169  
  
 Kaczorowski, David M., 169  
 Kanefield, Jeffrey, 126  
 Kaplan, Ronald, 58  
 Katz, Ronald L., 40  
 Kehlet, H., 122  
 Kehlet, Henrik, 117  
 Khalil, Magdy, 20  
 Korbon, Gregg A., 131  
  
 Lambert, Donald H., 25  
 Lander, Christopher J., 131  
 Lennon, Robert L., 77  
 Lessire, H. M., 15  
 Löfström, J. B., 146  
 Lund, C., 122  
  
 Mainemer, Martine, 135  
 Makar, A., 101, 107  
 Malinow, A. M., 141  
 Mantilla, M., 101, 107  
 Marcandoro, J., 29  
 Martz, D. G., 141  
 Mathias, Roberto Simão, 91  
 Matjasko, M. J., 141  
 Matthijssen, C., 62  
 McGuinn, W. J., 141  
 Mogensen, T., 122  
 Mogensen, Torben, 117  
 Mokriski, B. L. K., 141  
 Moore, J., 101, 107  
 Mosaad, P., 101, 107  
 Murray, William J., 112  
  
 Naroll, Maud, 40, 72  
 Nicholson, Carolyn J., 169  
 Nilsson, Acke, 165  
 Nishimura, Kiyoji, 83  
  
 Paatero, Heikki, 157  
 Pai, Umeshraya T., 169  
 Park, Woo Young, 49  
 Pfisterer, Werner, 58  
 Pitkanen, Mikko T., 157  
  
 Ramanathan, Jaya, 20  
 Rane, A., 146  
 Redick, Lloyd F., 112  
 Reyes, A., 101  
 Rosenberg, Jacob, 117  
 Rosenberg, Per H., 157  
  
 Saada, M., 29  
 Schweppe, M. L., 15  
 Scott, D. B., 95  
 Scott, N. B., 122  
 Senra, Waldir Garcia, 91  
 Sibai, Baha M., 20  
 Smith, Heidi S., 13  
 Stanton-Hicks, M. D'A., 62  
 Stanton-Hicks, Michael d'A., 34  
 Swart, F., 101, 107  
  
 Tatekawa, Shigeki, 83  
 Touboul, C., 29  
  
 Valentin, Niels, 69  
 Valli, Harri, 152  
 Van Aken, H., 15  
 Van Heteren, J. A., 62  
 Viel, Eric, 135  
  
 Wahlström, A., 146  
 Wakefield, M. L., 141  
 Walther-Larsen, Søren, 69  
 Wedel, Denise J., 77  
 Wildsmith, J. A. W., 47  
 Williamson, Brian R., 131  
 Wong, Laura Fraser, 72  
  
 Yukioka, Hidekazu, 83  
  
 Zaki, N., 101, 107  
 Zhu, J., 101  
 Zozime, J. P., 29

